







Product	Series	Rated Voltage	Capacitance	Max. Current	Frequency Range	Max.Power
Conduction cooled 	FP-4N-100	450 VRMS TO 1100 VRMS	0.03 MFD TO 0.80 MFD	250 IRMS	98 - 829 KHZ	100 KVAR
Air cooled 	Acc -120	400 VRMS TO 1000 VRMS	0.05 MFD TO 2.50 MFD	400 IRMS	63 - 700 KHZ	150 KVAR
Conduction cooled 	FP-4-150	400 VRMS TO 1000 VRMS	0.05 MFD TO 2.50 MFD	400 IRMS	63 - 700 KHZ	150 KVAR
Conduction cooled 	FP-9-200	400 VRMS TO 700 VRMS	0.18 MFD TO 5.0 MFD	500 IRMS	635 - 601 KHZ	180 KVAR
Conduction cooled 	FP-5X-200	500 VRMS TO 1100 VRMS	0.025 MFD TO 1.2 MFD	400 IRMS	106 - 1414 KHZ	200 KVAR
Conduction cooled 	FP-5-200	450 VRMS TO 1000 VRMS	0.05 MFD TO 2.40 MFD	500 IRMS	65 - 994 KHZ	200 KVAR
Conduction cooled LOW COST 	FP-5F-200	450 VRMS TO 1000 VRMS	0.05 MFD TO 2.40 MFD	500 IRMS	65 - 994 KHZ	200 KVAR
Conduction cooled 	FP-6N-200	600 VRMS TO 1100 VRMS	0.025 MFD TO 1.0 MFD	400 IRMS	89 - 1270 KHZ	200 KVAR
Conduction cooled 	FP-38-300	500 VRMS TO 1000 VRMS	0.10 MFD TO 2.40 MFD	600 IRMS	79 - 478 KHZ	300 KVAR

Product	Series	Rated Voltage	Capacitance	Max. Current	Frequency Range	Max.Power
Conduction cooled 	FP-8-300	400 VRMS TO 1000 VRMS	0.10 MFD TO 5 MFD	800 IRMS	59 – 649 KHZ	300 KVAR
Conduction cooled 	FP-24-300	400 VRMS TO 1000 VRMS	0.10 MFD TO 5 MFD	800 IRMS	59 – 649 KHZ	300 KVAR
Conduction cooled 	FP-9-300	400 VRMS TO 1000 VRMS	0.10 MFD TO 5 MFD	800 IRMS	59 – 649 KHZ	300 KVAR
Conduction cooled LOW COST 	FP-34-300	400 VRMS TO 1000 VRMS	0.10 MFD TO 2.6 MFD	650 IRMS	72 – 649 KHZ	300 KVAR
Conduction cooled LOW COST 	FP-7-300	400 VRMS TO 1000 VRMS	0.10 MFD TO 5 MFD	800 IRMS	59 – 649 KHZ	300 KVAR
Conduction cooled 	FP-2-400	500 VRMS TO 1000 VRMS	0.15 MFD TO 2.0 MFD	800 IRMS	110 – 538 KHZ	400 KVAR
Conduction cooled 	FP-3-400	500 VRMS TO 1000 VRMS	0.33 MFD TO 5 MFD	1000 IRMS	50 – 433 KHZ	400 KVAR
Conduction cooled 	FP-20-400	500 VRMS TO 1000 VRMS	0.10 MFD TO 2.50 MFD	800 IRMS	106 – 637 KHZ	400 KVAR
Conduction cooled LOW COST 	FP-1-400	500 VRMS TO 1000 VRMS	0.33 MFD TO 5.0 MFD	1000 IRMS	50 – 433 KHZ	400 KVAR

Product	Series	Rated Voltage	Capacitance	Max. Current	Frequency Range	Max.Power
Conduction cooled LOW COST 	FP-10-400	400 VRMS TO 600 VRMS	6.5 MFD TO 40 MFD	1000 IRMS	10 – 62 KHZ	400 KVAR
Conduction cooled 	FP-11-500	500 VRMS TO 1100 VRMS	1.2 MFD TO 37.0 MFD	1000 IRMS	9 – 96 KHZ	500 KVAR
Water Cooled 	FP-12-500H	500 VRMS TO 1100 VRMS	1.2 MFD TO 37.0 MFD	1000 IRMS	9 – 96 KHZ	500 KVAR
Water Cooled 	FP-11R-500	400 VRMS TO 700 VRMS	0.20 MFD TO 10 MFD	1000 IRMS	40 – 896 KHZ	500 KVAR
Conduction cooled LOW COST 	FP-36-500	500 VRMS TO 1100 VRMS	1.2 MFD TO 37.0 MFD	1000 IRMS	9 – 96 KHZ	500 KVAR
Conduction cooled 	FP-29-600	500 VRMS TO 1000 VRMS	0.33 MFD TO 5.0 MFD	1200 IRMS	76 – 290 KHZ	600 KVAR
Conduction cooled LOW COST 	FP-4G-600	500 VRMS TO 1000 VRMS	0.33 MFD TO 5.0 MFD	1200 IRMS	76 – 290 KHZ	500 KVAR
Conduction cooled LOW COST 	FP-60-700	500 VRMS TO 1000 VRMS	5.0 MFD TO 85.0 MFD	1400 IRMS	5.2 – 29 KHZ	700 KVAR
Water Cooled 	FP-10J-800	400 VRMS TO 700 VRMS	0.40 MFD TO 19 MFD	1500 IRMS	31 – 716 KHZ	800 KVAR

Product	Series	Rated Voltage	Capacitance	Max. Current	Frequency Range	Max.Power
Water cooled 	FP-31-1000	800 VRMS TO 1200 VRMS	5.0 MFD TO 20.0 MFD	1250 IRMS	10 - 32 KHZ	1000 KVAR
Water cooled 	FP-8C-1500	500 VRMS TO 1000 VRMS	0.05 MFD TO 24 MFD	3000 IRMS	41 - 651 KHZ	1500 KVAR